

Euro price list 2022

MOEEL®

ITALY

INFRARED HEATERS

Enlarge your comfort area
indoor & outdoor

INSECT CONTROL - HACCP

Protection for people, animals
and food processing

HAIR DRYERS - HAND DRYERS

Keep your hands clean

AIR COOLERS



Made in Italy Since 1982


INFRARED HEATERS FOR INDOOR AND OUTDOOR



AAREN BLACK IR-B

AAREN WHITE IR-B

FEATURES	966V	966VD	966W	966WD
Dimensions in mm	800x250x75	1050x250x75	800x250x75	1050x250x75
Weight	5,3 Kg	7,1 Kg	5,3 Kg	7,1 Kg
Power Supply	220-240V~50-60Hz	220-240V~50-60Hz	220-240V~50-60Hz	220-240V~50-60Hz
Total Consumption	1800 W	1800 W	1800 W	1800 W
Cable	H05SS-F / 3m	H05SS-F / 3m	H05SS-F / 3m	H05SS-F / 3m
Range of Action	6-8mq	6-8mq	6-8mq	6-8mq
IP Rate	IP55	IP55	IP55	IP55
Insulating Class	I	I	I	I
Master Box / Pallet q.	1 /28	1 /28	1 /28	1 /28
Spectrum of Light	IR-B	IR-B	IR-B	IR-B
Lamp Life	5000h	5000h	5000h	5000h
Inner Lamp	2x900W crystal-clear quartz carbon filament	2x900W crystal-clear quartz carbon filament	2x900W crystal-clear quartz carbon filament	2x900W crystal-clear quartz carbon filament
Coming With	Wall bracket	Wall bracket Dimmer + Remote control	Wall bracket	Wall bracket Dimmer + Remote control
Body	Extruded 6060 aluminum Black Heat resistant paint coating + Schott glass	Extruded 6060 aluminum Black Heat resistant paint coating + Schott glass	Extruded 6060 aluminum White Heat resistant paint coating + White Schott glass	Extruded 6060 aluminum White Heat resistant paint coating + White Schott glass
Made in	ITALY	ITALY	ITALY	ITALY
Price in Euro	590,00	695,00	590,00	695,00



AAREN BLACK IR-B


AAREN WHITE IR-B

FEATURES	967V	967VD	967W	967WD
Dimensions in mm	930x250x75	1180x250x75	930x250x75	1180x250x75
Weight	6,2Kg	8 Kg	6,2 Kg	8 Kg
Power Supply	220-240V~50-60Hz	220-240V~50-60Hz	220-240V~50-60Hz	220-240V~50-60Hz
Total Consumption	2400 W	2400 W	2400W	2400W
Cable	H05SS-F / 3m	H05SS-F / 3m	H05SS-F / 3m	H05SS-F / 3m
Range of Action	8-10 mq	8-10 mq	8-10 mq	8-10 mq
IP Rate	IP55	IP55	IP55	IP55
Insulating Class	I	I	I	I
Master Box / Pallet q.	1 /28	1 /28	1 /28	1 /28
Spectrum of Light	IR-B	IR-B	IR-B	IR-B
Lamp Life	5000h	5000h	5000h	5000h
Inner Lamp	2x1200 W crystal-clear quartz carbon filament	2x1200 W crystal-clear quartz carbon filament	2x1200W crystal-clear quartz carbon filament	2x1200W crystal-clear quartz carbon filament
Coming With	Wall bracket	Wall bracket Dimmer + Remote control	Wall bracket	Wall bracket Dimmer + Remote control
Body	Extruded 6060 aluminum Black Heat resistant paint coating + Schott glass	Extruded 6060 aluminum Black Heat resistant paint coating + Schott glass	Extruded 6060 aluminum White Heat resistant paint coating + White Schott glass	Extruded 6060 aluminum White Heat resistant paint coating + White glass
Made in	ITALY	ITALY	ITALY	ITALY
Price in Euro	621,00	750,00	621,00	750,00



AAREN RECESSED IR-B

FEATURES	9011
Dimensions in mm	1190X590X160
Weight	8,9 Kg
Power Supply	220-240V~50-60Hz
Total Consumption	1600 W
Cable	H05SS-F / 3m
Range of Action	6-8mq
IP Rate	IP55
Insulating Class	I
Master Box / Pallet q.	1 /28
Spectrum of Light	IR-B
Lamp Life	5000h
Inner Lamp	1X1600 W crystal-clear quartz carbon filament
Coming With	Remote control + Dimmer
Body	White heat resistant paint aluminum + Schott glass
Made in	ITALY
Price in Euro	680,00



Rear View
Built-in Exhausting Fan 34 dB

Also available with
black glass code: **9011N**

HOT-TOP IR-C

FEATURES	9815	9818	9824	9832
Dimensions in mm	1100x201x58	1250x201x58	1550x201x58	1950x201x58
Weight	5,7 Kg	6,4 Kg	7,8 Kg	9,8 Kg
Power Supply	220-240V~50-60Hz	220-240V~50-60Hz	220-240V~50-60Hz	220-240V~50-60Hz
Power	1500 W	1800 W	2400 W	3200 W
Cable	3m Silicone H05SS-F	3m Silicone H05SS-F	3m Silicone H05SS-F	3m Silicone H05SS-F
IP Rate	IP55	IP55	IP55	IP55
Insulating Class	I	I	I	I
Master Box / Pallet q.	1/36	1 /30	1 /24	1 /21
Radiating Elemen	IR-C	IR-C	IR-C	IR-C
Bodywork and Radiating Element	Anodized aluminium 6060 Black Heat resistant paint coating	Anodized aluminium 6060 Black Heat resistant paint coating	Anodized aluminium 6060 Black Heat resistant paint coating	Anodized aluminium 6060 Black Heat resistant paint coating
Coming with	Wall Bracket	Wall Bracket	Wall Bracket	Wall Bracket
Made in	ITALY	ITALY	ITALY	ITALY
Price in Euro	385,00	411,00	460,00	515,00




HOT-TOP SILVER IR-C

FEATURES	9818S	9824S	9832S
Dimensions in mm	1250x201x58	1550x201x58	1950x201x58
Weight	6,4 Kg	7,8 Kg	9,8 Kg
Power Supply	220-240V~50-60Hz	220-240V~50-60Hz	220-240V~50-60Hz
Power	1650 W	2200 W	2950 W
Cable	3m Silicone H05SS-F	3m Silicone H05SS-F	3m Silicone H05SS-F
IP Rate	IP55	IP55	IP55
Insulating Class	I	I	I
Master Box / Pallet q.	1 /30	1 /24	1 /21
Radiating Elemen	IR-C	IR-C	IR-C
Bodywork and Radiating Element	Anodized aluminium 6060 Silver Heat resistant paint coating	Anodized aluminium 6060 Silver Heat resistant paint coating	Anodized aluminium 6060 Silver Heat resistant paint coating
Coming with	Wall Bracket	Wall Bracket	Wall Bracket
Made in	ITALY	ITALY	ITALY
Price in Euro	411,00	454,00	494,90

HOT-TOP THREE PHASE IR-C

FEATURES	9830	9845
Dimensions in mm	1560x250x70	2150x250x70
Weight	12,4 Kg	17 Kg
Power Supply	380V~50-60Hz	380V~50-60Hz
Power	3000 W	4500 W
Cable	3m Silicone H05SS-F	3m Silicone H05SS-F
IP Rate	IP55	IP55
Insulating Class	I	I
Master Box / Pallet q.	1 /24	1 /24
Radiating Elemen	IR-C	IR-C
Bodywork and Radiating Element	Anodized aluminium 6060 Black Heat resistant paint coating	Anodized aluminium 6060 Black Heat resistant paint coating
Coming with	Wall Bracket	Wall Bracket
Made in	ITALY	ITALY
Price in Euro	640,00	807,00



HIGH PERFORMANCE

HOT-TOP DIMMER IR-C

FEATURES	9815D	9818D	9824D	9832D
Dimensions in mm	1260x201x58	1410x201x58	1710x201x58	2110x201x58
Weight	6,7 Kg	7,4 Kg	8,8 Kg	10,8 Kg
Power Supply	220-240V~50-60Hz	220-240V~50-60Hz	220-240V~50-60Hz	220-240V~50-60Hz
Power	1500 W	1800 W	2400 W	3200 W
Cable	1,9 m Rubber H05RN-F	1,9 m Rubber H05RN-F	1,9 m Rubber H05RN-F	3 m Silicone H05SS-F
IP Rate	IP55	IP55	IP55	IP55
Insulating Class	I	I	I	I
Master Box / Pallet q.	1 /36	1 /30	1 /24	1 /21
Radiating Elemen	IR-C	IR-C	IR-C	IR-C
Bodywork and Radiating Element	Anodized aluminium 6060 Black Heat resistant paint coating	Anodized aluminium 6060 Black Heat resistant paint coating	Anodized aluminium 6060 Black Heat resistant paint coating	Anodized aluminium 6060 Black Heat resistant paint coating
Coming with	Schuko Plug - Wall Bracket Dimmer and Remote control	Schuko Plug - Wall Bracket Dimmer and Remote control	Schuko Plug - Wall Bracket Dimmer and Remote control	Wall Bracket Dimmer and Remote control
Made in	ITALY	ITALY	ITALY	ITALY
Price in Euro	555,50	580,50	623,00	679,00



HOT-TOP SILVER DIMMER IR-C

FEATURES	9815SD	9818SD	9824SD	9832SD
Dimensions in mm	1260x201x58	1410x201x58	1710x201x58	2110x201x58
Weight	6,7Kg	7,4Kg	8,8Kg	10,8Kg
Power Supply	220-240V~50-60Hz	220-240V~50-60Hz	220-240V~50-60Hz	220-240V~50-60Hz
Power	1350 W	1650 W	2200 W	2950 W
Cable	1,9 m Rubber H05RN-F	1,9 m Rubber H05RN-F	1,9 m Rubber H05RN-F	3 m Silicone H05SS-F
IP Rate	IP55	IP55	IP55	IP55
Insulating Class	I	I	I	I
Master Box / Pallet q.	1 /36	1 /30	1 /24	1 /21
Radiating Elemen	IR-C	IR-C	IR-C	IR-C
Bodywork and Radiating Element	Anodized aluminium 6060 Silver Heat resistant paint coating	Anodized aluminium 6060 Silver Heat resistant paint coating	Anodized aluminium 6060 Silver Heat resistant paint coating	Anodized aluminium 6060 Silver Heat resistant paint coating
Coming with	Schuko Plug - Wall Bracket Dimmer and Remote control	Schuko Plug - Wall Bracket Dimmer and Remote control	Schuko Plug - Wall Bracket Dimmer and Remote control	Wall Bracket Dimmer and Remote control
Made in	ITALY	ITALY	ITALY	ITALY
Price in Euro	555,50	580,50	623,00	679,00




ACCESSORIES	7704	7706
Installation	Double focus Bracket	Rear Extension
Made in	ITALY	ITALY
Bodywork	Stainless Steel	Stainless Steel
Price in Euro	35,00	26,20



IRIS IR-A

FEATURES	866N	866NP	866NRC	867N	867NP	867NRC
Dimensions in mm	721x124x83	721x124x83	721x124x83	826x124x83	826x124x83	826x124x83
Weight	0,95 Kg	0,65 Kg	1,05 Kg	1 Kg	0,7 Kg	1,10 Kg
Power Supply	220-240V~50-60Hz	220-240V~50-60Hz	220-240V~50-60Hz	220-240V~50-60Hz	220-240V~50-60Hz	220-240V~50-60Hz
Total Consumption	1200 W	1200 W	1200 W	1800 W	1800 W	1800 W
Cable	H05RN-F	-	H05RN-F	H05RN-F	-	H05RN-F
Range of Action	4-6mq	4-6mq	4-6mq	8-10mq	8-10mq	8-10mq
IP Rate	IP65	IP65	IP65	IP65	IP65	IP65
Insulating Class	I	I	I	I	I	I
Master Box / Pallet q.	4 /48	4 /48	4 /48	4 /48	4 /48	4 /48
Spectrum of Light	IR-A	IR-A	IR-A	IR-A	IR-A	IR-A
Lamp Life	5000 h	5000 h	5000 h	5000 h	5000 h	5000 h
Lamp	Quartz and tungsten wire	Quartz and tungsten wire	Quartz and tungsten wire	Quartz and tungsten wire	Quartz and tungsten wire	Quartz and tungsten wire
Coming With	Switch, Plug and Wall bracket	Wall bracket	Switch , Plug, Wall bracket and Remote control	Switch, Plug and Wall bracket	Wall bracket	Switch , Plug, Wall bracket and Remote control
Made in	ITALY	ITALY	ITALY	ITALY	ITALY	ITALY
Price in Euro	141,50	134,50	167,50	151,00	146,50	176,50



REMOTE CONTROL

Accessories

Hanging chains and wall brackets included

Item **868P**: Optional Bracket for Pole installation: **35,00 Euro**

Item **868U**: Optional Bracket for Sun Umbrella: **75,00 Euro**



FIORE IR-A


FEATURES	766N	766NP	767N	767NP
Dimensions in mm	712x112x83	712x112x83	835x112x83	835x112x83
Weight	0,95 Kg	0,65 Kg	1 Kg	0,7 Kg
Power Supply	220-230V~50-60Hz	220-230V~50-60Hz	220-230V~50-60Hz	220-230V~50-60Hz
Total Consumption	1200 W	1200 W	1760 W	1760 W
Cable	H05RN-F	-	H05RN-F	-
Range of Action	4-6mq	4-6mq	8-10mq	8-10mq
IP Rate	IP65	IP65	IP65	IP65
Insulating Class	I	I	I	I
Master Box / Pallet q.	4 /48	4 /48	4 /48	4 /48
Spectrum of Light	IR-A	IR-A	IR-A	IR-A
Lamp Life	5000 h	5000 h	5000 h	5000 h
Lamp	Quartz and tungsten wire	Quartz and tungsten wire	Quartz and tungsten wire	Quartz and tungsten wire
Coming With	Switch and Plug Chains for ceiling mounting	Chains for ceiling mounting	Switch and Plug Chains for ceiling mounting	Chains for ceiling mounting
Made in	ITALY	ITALY	ITALY	ITALY
Price in Euro	133,00	127,00	143,50	138,50

Accessories

Hanging chains and wall brackets included


Item **768PN**: Optional Pole Bracket: **27,50 Euro**

Item **768MN**: Optional Wall Bracket: **13,00 Euro**



PETALO IR-A


FEATURES	722WPL	728WP	722WRC	728WRC	728
Dimensions in mm	830X38X120	830X38X120	830X38X120	830X38X120	830X38X120
Weight	1,2 Kg	1,2 Kg	1,5 Kg	1,5 Kg	1,5 Kg
Power Supply	220-240 V~50-60Hz	220-240 V~50-60Hz	220-240 V~50-60Hz	220-240 V~50-60Hz	220-240 V~50-60Hz
Total Consumption	1200 W	1800 W	1200 W	1800 W	1800 W
Cable	-	-	H05RN-F	H05RN-F	H05RN-F
Range of Action	6-8 mq	8-10 mq	6-8 mq	8-10 mq	8-10 mq
IP Rate	IP55	IP55	IP55	IP55	IP55
Insulating Class	I	I	I	I	I
Master Box / Pallet q.	4 /48	4 /48	4 /48	4 /48	4 /48
Spectrum of Light	IR-A	IR-A	IR-A	IR-A	IR-A
Lamp Life	5000 h	5000 h	5000 h	5000 h	5000 h
Lamp	Frozen Quartz + tungsten wire	Frozen Quartz + tungsten wire	Frozen Quartz + tungsten wire	Frozen Quartz + tungsten wire	Ruby Quartz + tungsten wire
Coming with	Chains for ceiling mounting	Chains for ceiling mounting	Switch, Plug, Chains for ceiling mounting Remote control	Switch, Plug, Chains for ceiling mounting Remote control	Switch, Plug and Chains for ceiling mounting
Made in	ITALY	ITALY	ITALY	ITALY	ITALY
Price in Euro	162,00	171,00	199,00	209,00	211,50



REMOTE CONTROL


SHARKLITE IR-A

FEATURES	712N	718N
Dimensions in mm	792X150X100	912X150X100
Weight	1,45 Kg	1,60 Kg
Power Supply	220-240V~50-60Hz	220-240V~50-60Hz
Total Consumption	1200 W	1800 W
Cable	H05RN-F	H05RN-F
Range of Action	4-6mq	8-10mq
IP Rate	IP55	IP55
Insulating Class	I	I
Master Box / Pallet q.	2 /40	2 /40
Spectrum of Light	IR-A	IR-A
Lamp Life	5000 h	5000 h
Lamp	Quartz and tungsten filament (Ruby)	Quartz and tungsten filament (Ruby)
Coming With	Switch, plug and wall bracket	Switch, plug and wall bracket
Made in	ITALY	ITALY
Price in Euro	196,00	211,00



LUCCIOLA FIREFLY IR-A

FEATURES	799	798	797
Dimensions in mm	400X132X90	400X132X90	470X132X90
Weight	0,9 Kg	0,9 Kg	1 Kg
Power Supply	220-240V~50-60Hz	220-240V~50-60Hz	220-240V~50-60Hz
Total Consumption	600 W	800 W	1200 W
Cable	H05RN-F	H05RN-F	H05RN-F
Range of Action	3-4mq	4-5mq	5-6mq
IP Rate	IP65	IP65	IP65
Insulating Class	I	I	I
Master Box / Pallet q.	2 /72	2 /72	2 /72
Spectrum of Light	IR-A	IR-A	IR-A
Lamp Life	5000 h	5000 h	5000 h
Lamp	Ruby quartz and tungsten wire	Ruby quartz and tungsten wire	Ruby quartz and tungsten wire
Coming With	Switch, plug and wall bracket	Switch, plug and wall bracket	Switch, plug and wall bracket
Made in	ITALY	ITALY	ITALY
Price in Euro	131,00	141,00	153,00



Accessory 789
Wall/Post Bracket
Master box 1
Made in Italy **Eur**
25,50

GIROSOLE IR-A

FEATURES	769N	769NS CEILING	769T TABLE
Dimensions in mm	842X940X2140	842X940X520	842X940X2140
Weight	18 Kg	6,15 Kg	21 Kg
Power Supply	Single phase 220-240V~50-60Hz	Single phase 220-240V~50-60Hz	Single phase 220-240V~50-60Hz
	60Hz	60Hz	60Hz
	3-phase 380-400V ~50-60Hz	3-phase 380-400V ~50-60Hz	3-phase 380-400V ~50-60Hz
Total Consumption	3X1200 W	3X1200 W	3X1200 W
Range of Action	12-18mq	12-18mq	12-18mq
IP Rate	IP65	IP65	IP65
Insulating Class	I	I	I
Master Box / Pallet q.	1 /7	1 /7	1 /7
Spectrum of Light	IR-A	IR-A	IR-A
Lamp Life	5000 h	5000 h	5000 h
Lamp	Quartz and tungsten wire	Quartz and tungsten wire	Quartz and tungsten wire
Coming With	3 Switches	3 Switches	3 Switches + Table
Made in	ITALY	ITALY	ITALY
Price in Euro	679,00	588,00	781,00



HATHOR IR-A

FEATURES	79104	79204	79304
Dimensions in mm	496x313x275	496x313x375	496x313x515
Weight	1,7 Kg	2,4 Kg	3 Kg
Power Supply	220-240V~50-60Hz	220-240V~50-60Hz	380-415V~50-60Hz
Total Consumption	2000 W	4000 W	6000 W
Range of Action	8-12mq	12-16mq	16-20mq
IP Rate	IP55	IP55	IP55
Insulating Class	I	I	I
Master Box / Pallet q.	1 /40	1 /40	1 /20
Spectrum of Light	IR-A	IR-A	IR-A
Lamp Life	5000 h	5000 h	5000 h
Lamp	GOLD	GOLD	GOLD
Coming With	Wall bracket	Wall bracket	Wall bracket
Made in	ITALY	ITALY	ITALY
Price in Euro	239,00	386,00	506,00



HATHOR LOW GLARE WHITE IR-A

FEATURES	791LGW	792LGW	793LGW
Dimensions in mm	275x313x496	375x313x496	515x313x496
Weight	1,7 Kg	2,4 Kg	3 Kg
Power Supply	220-240V~50-60Hz	220-240V~50-60Hz	380-415V~50-60Hz
Total Consumption	2000 W	4000 W	6000 W
Range of Action	2-12mq	12-16mq	16-20mq
IP Rate	IP55	IP55	IP55
Insulating Class	I	I	I
Master Box / Pallet q.	1 / 40	1 / 40	1 / 20
Spectrum of Light	IR-A	IR-A	IR-A
Lamp Life	5000 h	5000 h	5000 h
Lamp	GOLD LOW GLARE	GOLD LOW GLARE	GOLD LOW GLARE
Coming With	Wall bracket	Wall bracket	Wall bracket
Made in	ITALY	ITALY	ITALY
Price in Euro	296,00	408,00	519,00



GLASS SHIELD IR-A

FEATURES	778A
Dimensions in mm	360x155x320
Weight	3,7 Kg
Power Supply	220-240V~50-60Hz
Total Consumption	800 W
IP Rate	IP55
Insulating Class	I
Master Box / Pallet q.	1 /40
Spectrum of Light	IR-A
Lamp Life	5000 h
Lamp	RUBY
Coming With	Tempered safety glass
Made in	Silicone gasket + Wall bracket
Price in Euro	99,00



ACCESSORIES

ITEM AND BRACKET MATCHING TABLE

HOLDER/HEATER	IRIS	FIORE	LUCCIOLA	PETALO	HATHOR	SHARKLITE	AAREN	HOT-TOP
4463/4463B CURVED POLE	NO	YES	NO	YES WITH 4456	YES	YES	NO	NO
2473 TRIPODE	YES WITH 868P	YES WITH 768P OR 868P	YES WITH 789	YES WITH 4466 AND 868P OR 768P	YES WITH 868P OR 768P	YES	YES WITH 858P	YES WITH 868P
4464 ELEGANCE POLE	YES WITH 868P	YES WITH 768P OR 868P	YES WITH 789	YES WITH 4466 AND 868P OR 768P	YES WITH 868P OR 768P	YES	YES WITH 858P	YES WITH 868P
4468 EXTENSIBLE POLE	YES	YES	YES	YES WITH 4456	YES	YES	NO	NO
868P POLE BRACKET	YES	NO	NO	YES WITH 4456	YES	YES	YES	YES
868U UMBRELLA BRACKET	YES	NO	NO	NO	NO	NO	YES	YES
4467 EXTENSIBLE BRACKET	YES	NO	NO	NO	NO	NO	YES	YES

ACCESSORIES	4466	868U	004380	4463B	4468
Installation	Wall bracket	Umbrella Clamp	Girosole Table	Free standing	Free Standing
Master Box	1	1	1	1	1pc
Made in	ITALY	ITALY	ITALY	ITALY	ITALY
Fitting	Petalo	Iris, Fiore, Sharklite	769N	All items	All items
Price in Euro	27,50	75,00	96,00	204,00	199,50
					

ACCESSORIES	4467	4469	4472
Installation	1 m wall mounting Hinged Arm	0,5 m Double Joint Extension	0,5 m wall mounting Hinged Arm
Master Box	1	1	1
Made in	ITALY	ITALY	ITALY
Fitting	All items	4467 - 4472	All items
Price in Euro	99,50	43,90	72,00
			

ACCESSORIES



ACCESSORIES	768MN	768PN	868P	2473	4464
Installation	Wall Mounting	Free Standing	Pole bracket fo IRIS	Free Standing	Free Standing
Master Box	4 units	4 units	4 units	2 units	1 units
Made in	ITALY	ITALY	ITALY	P.R.C.	ITALY
Fitting	FIORE	FIORE	FIORE	FIORE	FIORE
Price in Euro	13,00	27,50	25,50	75,00	199,50




CHRONOTHERMOSTATS	9005ED	9006ED
Dimensions in mm	70x41x140	135x88x22
General features	Coming with built-in sensor, Temperature range 5°-35°C	External sensor (dimensions 114x86x30mm), Temperature range 5°-35°C
	Temperature Increases 0,5°C - Accuracy +/-0,5°C	Temperature Increases 0,5°C - Accuracy +/-0,5°C
IP protection	IP20	IP20
Suitable for	Items with plug	Installation required
Price in Euro	55,50	113,50



SPARE PARTS	DESCRIPTION	PRICE IN EURO
002450	Infrared lamp 1200 W for models FIORE AND IRIS, 769N and 769NS	19,50
002781	Infrared lamp 1800 W for models FIORE, PETALO AND IRIS	27,00
003018	Infrared ruby lamp 1200 W for models 722 and 712N	30,50
003024	Infrared ruby lamp 1800 W for models 728 and 718N	33,00
004722	Infrared Gold lamp 2000 W for Hathor	53,00
003947	Infrared lamp 600 W for model 799	26,00
005756	Infrared lamp 800 W for model 798	29,50
005757	Infrared lamp 1200 W for ref 797	30,50
006076	Infrared lamp 800 W for ref 778A	27,50
004623	Infrared lamp low glare 2000 W for Hathor Low Glare	59,00
005780	Infrared lamp for PETALO 722WPL and 722WRC	18,00
005528	Infrared lamp for AAREN 900W	40,00
005529	Infrared Lamp for AAREN 1200W	44,00

MO-STICK IP65 SHATTERPROOF



FEATURES	372	397
Dimensions in mm	655x385x235	655x385x235
Weight	7,8 Kg	7,8 Kg
Power Supply	220-240V~50-60Hz	220-240V~50-60Hz
Power	40 W Electronic ballast	40 W Electronic ballast
Cable	Rubber 1,5m lenght	Rubber 1,5m lenght
Range of Action	15-18 m of linear range	15-18 m of linear range
IP Rate	IP65	IP65
Insulating Class	I	I
Master Box / Pallet q.	1 /21	1 /21
Lamp	2x40 W UV-A Actinic Shatterproof - Sylvania	2x40 W UV-A Actinic Shatterproof - Sylvania
Lamp life	2000 h	2000 h
Coming with	3 x grid marked glue boards 370x650mm Chains for ceiling installation	3 x grid marked glue boards 370x650mm Chains for ceiling installation
Bodywork	Stainless steel aisi 304	Paint coated Iron
Made in	ITALY	ITALY
Price in Euro	467,50	352,00




MO-STICK IP65 LED SHATTERPROOF

FEATURES	372L	397L
Dimensions in mm	655x385x235	655x385x235
Weight	5,2 Kg	5,2 Kg
Power Supply	220-240V~50-60Hz	220-240V~50-60Hz
Power	20 W	20 W
Cable	Rubber 1,5m lenght	Rubber 1,5m lenght
Range of Action	15-18 m of linear range	15-18 m of linear range
IP Rate	IP65	IP65
Insulating Class	I	I
Master Box / Pallet q.	1 /21	1 /21
Lamp	16 X 1 W UV-A Actinic	16 X 1 W UV-A Actinic
Lamp life	30000 h	30000 h
Coming with	3 x grid marked glue boards 370x650mm Chains for ceiling installation	3 x grid marked glue boards 370x650mm Chains for ceiling installation
Bodywork	Stainless steel aisi 304	Paint coated Iron
Made in	ITALY	ITALY
Price in Euro	465,50	362,00





MO-PLICK ECLIPSE

FEATURES	333L
Dimensions in mm	396X396X125
Weight	2,9 Kg
Power Supply	220-240V~50-60 Hz
Power	10 W
Bodywork	Stainless steel AISI 304 + Aluminum
LED UV-A	8 x 1 W
LED life	30000 h
Standard equipment	4 x grid marked glue boards cable and switch
Range of action	5 m
Master q.	1
Made in	ITALY
Price in Euro	326,00



MO-STICK PUNTO RISTORO




FEATURES	310A	310L
Dimensions in mm.	494x230x740	494x230x740
Weight	2,00 Kg	2,00 Kg
Power Supply	220-240V 50-60Hz	220-240V 50-60Hz
Bodywork	Alluminio	Alluminio
Light	2x20W E27 UV-A Actinic	8x1W LED UV-A 365 nm
LED life	5000 h	30000 h
Standard equipment	4 x grid marked glue boards Switch and cable	4 x grid marked glue boards Switch and cable
Range of action	10/12 m	10/12 m
Master q.	2/90	2/90
Made in	ITALY	ITALY
Price in Euro	199,00	240,00
Optional standing brackets Ref. 310B		
		

MO-FLY IP55 PMMA LAMP SHIELD

FEATURES	700	701
Dimensions in mm	112X435X400	120X155X400
Weight	2,5 Kg	2,2 Kg
Power Supply	230V~50Hz	230V~50Hz
Power	40 W	40 W
Cable	Rubber 1,5m lenght	Rubber 1,5m lenght
Range of Action	12-14 m of linear range	12-14 m of linear range
IP Rate	IP55	IP55
Insulating Class	I	I
Master Box / Pallet q.	2 /50	4 /100
Lamp	2x15W UV-A Actinic - Sylvania PMMA anti-crush shield	2x15W UV-A Actinic - Sylvania PMMA anti-crush shield
Lamp life	2000 h	2000 h
Coming with	4 x grid marked glue boards 15x38cm - hanging chains	4 x grid marked glue boards 15x38cm
Bodywork	Aluminum	Aluminum
Made in	ITALY	ITALY
Price in Euro	155,00	138,00
		

MO-PLICK

FEATURES	398R	398W	399R
Dimensions in mm	450X240X150	450X150X150	393X216X119
Weight	2,9 Kg	2,9,0 Kg	1,4 Kg
Power Supply	220-240V~50-60 Hz	220-240V~50-60 Hz	220-240V~50-60 Hz
Power	20 W	20 W	20 W
Cable	For permanent installation	For permanent installation	For permanent installation
Range of Action	5 m of linear range	5 m of linear range	5 m of linear range
Insulating Class	II	II	II
Master Box / Pallet q.	2 /72	2 /72	1 /72
Lamp	2x20 W	2x20 W	2x20 W
Lamp life	2000 h	2000 h	2000 h
Coming with	4 x grid marked glue boards 15x38cm	4 x grid marked glue boards 15x38cm	4 x grid marked glue boards 15x38cm
Bodywork	Stainless steel AISI 304	White paint coated Iron	Polystyrene
Made in	ITALY	ITALY	ITALY
Price in Euro	134,50	119,00	102,00
			

CRI CRI HEAVY DUTY ZAPPER



FEATURES	308S	308A	308E
Dimensions in mm	685x200x350	685x200x380	685x200x380
Weight	11Kg	8,6 Kg	8,6 Kg
Power Supply	220-240V ~ 50-60Hz	220-240V ~ 50-60Hz	220-240V ~ 50-60Hz
Power	95 W	95 W	95 W
Cable	Rubber H05RN-F	Rubber H05RN-F	Rubber H05RN-F
Linear Range of Action	15-18 linear metres	15-18 linear metres	15-18 linear metres
IP Rate	IPX4	IPX4	IPX4
Zapping Power	5000V	5000V	5000V
Insulating Class	I	I	II
Master Box / Pallet q.	2/30	2/30	2/30
Lamp	2x40W UV-A 365nm Actinic Sylvania	2x40W UV-A 365nm Actinic Sylvania	2x40W UV-A 365nm Actinic Sylvania
Lamp life	2000 h	2000 h	2000 h
Bodywork	Stainless steel AISI 430 galvanized metal parts salty steam tested	Fire retardant+ UV-A rated PC-ABSgalva- nized metal parts salty steam tested Safety switch grid disconnecter	Fire retardant+ UV-A rated PC-ABS Paint coated metal parts salty steam tested
Made in	ITALY	ITALY	ITALY
Price in Euro	600,00	225,00	209,00

UPON REQUEST

THE BEST FOR
GREEN HOUSES



CRI CRI HEAVY DUTY ZAPPER

FEATURES	307A	307E	305E
Dimensions in mm	685x200x380	685x200x380	685x200x380
Weight	8 Kg	8 Kg	8Kg
Power Supply	220-240V ~ 50-60Hz	220-240V ~ 50-60Hz	220-240V ~ 50-60Hz
Power	65 W	65 W	45 W
Cable	Rubber H05RN-F	Rubber H05RN-F	Rubber H05RN-F
Linear Range of Action	12-15 linear metres	12-15 linear metres	10 - 12 linear metres
IP Rate	IPX4	IPX4	IPX4
Zapping Power	5000 V	5000 V	5000 V
Insulating Class	I	II	II
Master Box / Pallet q.	2/30	2/30	2/30
Lamp	2x20W UV-A 365nm Actinic Sylvania	2x20W UV-A 365nm Actinic Sylvania	1x20W UV-A 365nm Actinic Sylvania
Lamp life	2000 h	2000 h	2000 h
Bodywork	Fire retardant+ UV-A rated PC-ABS galvanized metal parts salty steam tested Safety switch grid disconnecter	Fire retardant+ UV-A rated PC-ABS Paint coated metal parts salty steam tested	Fire retardant+ UV-A rated PC-ABS Paint coated metal parts salty steam tested
Made in	ITALY	ITALY	ITALY
Price in Euro	211,00	199,00	181,00



CRI CRI ZAPPER



FEATURES	309	309FR Fluo Red	304
Dimensions in mm	355x155x315	355x155x315	355x155x315
Weight	4,2 Kg	4,2 Kg	4,1 Kg
Power Supply	220-240V ~ 50-60Hz	220-240V ~ 50-60Hz	220-240V ~ 50-60Hz
Power	45 W	45 W	35 W
Cable	Rubber H05RN-F	Rubber H05RN-F	Rubber H05RN-F
Linear Range of Action	10-12 linear metres	10-12linear metres	8-10linear metres
IP Rate	IPX3	IPX3	IPX3
Zapping Power	5000V	5000V	5000V
Insulating Class	II	II	II
Master Box / Pallet q.	3/90	3/90	3/90
Lamp	2x15W UV-A 365nm Actinic Sylvania	2x15W UV-A 365nm Actinic Sylvania	1x15W UV-A 365nm Actinic Sylvania
Lamp life	1500 h	1500 h	1500 h
Bodywork	Fire retardant+ UV-A rated PC-ABS / galvanized metal parts salty steam tested	Fire retardant+ UV-A rated PC-ABS / galvanized metal parts salty steam tested	Fire retardant+ UV-A rated PC-ABS / galvanized metal parts salty steam tested
Made in	ITALY	ITALY	ITALY
Price in Euro	140,00	121,00	120,00

UPON AVAILABILITY



BEST FOR FARMING CRI CRI HEAVY DUTY TURBINE

FEATURES	TURBILED 806	30602
Dimensions in mm	360x360x841	407x356x941
Weight	5,4 kg	11 Kg
Power Supply	220-240V 50-60 HZ	220-240V ~ 50-60Hz
Power	35/65 W	115 W
Motor Speed	1300 rpm	1000rpm
Linear Range of Action	10-15m	15-18 linear metres
Water protection	IP55	IPX4
Insulating Class	II	I
Master Box / Pallet q.	1/10	1/10
Lamp	12 W Led UV-A 365 nm x16	2x40w UV-A Actinic 365nm Sylvania
Lamp life	30.000 h	2000 h
Bodywork	ABS + steel	Aluminum
Coming with	Nylon bag for collecting insects - Adapter + 5 m cable	Nylon bag for collecting insects
Made in	ITALY	ITALY
Price in Euro	852,20	643,00



ACCESSORIES

- Collecting Bag 006172
- L shape standing support for TurbiLed 006129

CRI CRI ZAPPER

UPON AVAILABILITY

FEATURES	300N	300FR Fluo Red
Dimensions in mm	132X165X330	132X165X330
Weight	1,1 Kg	1,1 Kg
Power Supply	220-240V ~ 50-60Hz	220-240V ~ 50-60Hz
Power	6 W	6 W
Cable	Rubber H05RN-F	Rubber H05RN-F
Linear Range of Action	3-5 linear metres	3-5 linear metres
Zapping Power	1500V	1500V
Insulating Class	II	II
Master Box / Pallet q.	6/150	6/150
Lamp	1x6W UV-A 365nm Actinic Sylvania	1x6W UV-A 365nm Actinic Sylvania
Lamp life	1500 h	1500 h
Bodywork	Fire retardant+ UV-A rated PC-ABS	Fire retardant+ UV-A rated PC-ABS
Coming with	Patented lamp and grille cleaning system	Patented lamp and grille cleaning system
Made in	ITALY	ITALY
Price in Euro	70,00	70,00



CRI CRI MOON

FEATURES	3688L
Dimensions in mm	250x257x234
Weight	1,27 kg
Power Supply	100-240 V 50-60 Hz
Power	9 W
Motor power	4,5 W
Cable	Adapter + cable 5 m
Lamp	1 W led UV-A 365 nm x 6
Lamp life	30.000 h
Linear Range of Action	14-16 m
Bodywork	PC+ABS fireretardant+antiUV
Insulating Class	II
Master Box / Pallet q.	2/50
Water protection	IP34
Accessories	-
Made in	ITALY
Price in Euro	140,00



INSECTIVORO

FEATURES	361B	363G	368G	396A
Dimensions in mm	245x220x340	245x220x340	245x220x340	245x190x340
Weight	2,4 Kg	2,6 Kg	2,4 Kg	1,9 Kg
Power Supply	220-240V ~ 50-60Hz	220-240V ~ 50-60Hz	220-240V ~ 50-60Hz	220-240V ~ 50-60Hz
Power	55 W	75 W	55 W	35 W
Motor speed	1000/1200 rpm	1000/1200 rpm	1000 rpm	1000 rpm
Cable	Rubber H05RN-F	Rubber H05RN-F	Rubber H05RN-F	Rubber H05RN-F
Lamp	32W Actinic 365nm Sylvania	32W Actinic 365nm Sylvania	32W Actinic 365nm Sylvania	32W Actinic 365nm Sylvania
Lamp life	2000 h	2000 h	2000 h	2000 h
Linear Range of Action	14-16 linear metres	14-16 linear metres	14-16 linear metres	12 linear metres
Bodywork	Fire retardant+ UV-A rated PC-ABS	Fire retardant+ UV-A rated PC-ABS	Fire retardant+ UV-A rated PC-ABS	PP
Coming with	Inner filterand patented drawer	UV-C PL-S9W germicide lamp, Inner filterand patented drawer	Inner filterand patented drawer	Inner filterand patented drawer
Insulating Class	II	II	II	II
Master Box / Pallet q.	3/60	3/60	3/60	3/75
Made in	ITALY	ITALY	ITALY	ITALY
Price in Euro	119,00	134,00	106,00	90,00



PEST CONTROL - SPARE PARTS

SPARE PARTS	DESCRIPTION	PRICE IN EURO
0415	15 W UV-A actinic lamp peak of 365nm for items 309, 304, 700 and 701	8,50
0512	20 W UV-A actinic lamp peak of 365nm for items 307 and 305	9,90
0802	40 W UV-A actinic lamp peak of 365nm for items 308, 30602	12,00
000788	40 W shatterproof UV-A actinic lamp peak of 365nm for items 372, 397 M633	33,00
004622	20 W UV-A actinic lamp peak of 365nm for items 398 and 399	25,90
005818 + 001494	32 W UV-A actinic lamp peak of 365nm for items Insectivoro and Moon + rubber ring	14,50
000862	UV-C lamp 9W for item 363G	28,00
003942	11W UV-A actinic lamp for item 7113	6,40
0421	6 W UV-A actinic lamp peak of 365nm for items 300	7,90
001625	Grid marked glue boards set of 10 for 372 and 397	55,50
002413	Grid marked glue boards set of 10 for 700, 701, 398R and 399R	20,90
005999	Grid marked glue boards set of 10 for 398W and 398A	27,00
006172	Collecting Bag for Tubine	52,00

HAND DRYERS

FEATURES	315	715	716
Dimensions in mm	320x257x150	255x218x160	255x218x160
Weight	2,8 Kg	2,84 Kg	3,0 Kg
Power Supply	220-240 V ~ 50-60 Hz	220-240 V ~ 50-60 Hz	220-240 V ~ 50-60 Hz
Power	2125W	1650W	1650W
Air speed	17 m/s	12 m/s	12 m/s
Air flow	155 m3/h	120 m3/h	120 m3/h
Bodywork	ABS	ABS	Stainless steel
Insulating Class	II	II	I
Master Box / Pallet q.	1/100	1/90	1/90
Water protection	IPX3	IPX1	IPX1
Made in	ITALY	P.R.C.	P.R.C.
Price in Euro	170,20	89,00	165,00





FEATURES	725	726
Dimensions in mm	258x200x230	295x171x325
Weight	4,70 Kg	4,90 Kg
Power Supply	220-240 V ~ 50-60 Hz	220-240 V ~ 50-60 Hz
Power	2300 W	1800 W
Air speed	>22 m/s	80 m/s
Air flow	210 m3/h	168 m3/h
Bodywork	Iron powder coating	Stainless steel
Insulating Class	I	I
Master Box / Pallet q.	4/90	1/90
Water protection	IPX1	IPX1
Coming with	360° revolving nozzle	-
Made in	P.R.C.	P.R.C.
Price in Euro	210,00	284,00



HAND DRYER

FEATURES	734	734G Silver
Dimensions in mm	350x280x745	350x280x745
Weight	10,00 Kg	10,00 Kg
Power Supply	230 V ~ 50 Hz	230 V ~ 50 Hz
Power	800-1900 W	800-1900 W
Air speed	95 m/s	95 m/s
Bodywork	ABS	ABS Silver color
Insulating Class	II	II
Master Box / Pallet q.	1/12	1/18
Water protection	IPX1	IPX1
Coming with	Cable and schuko plug	Cable and schuko plug
Motor life	200.000 cycles	200.000 cycles
Made in	P.R.C.	P.R.C.
Price in Euro	663,50	663,50



NEW



FEATURES	7900
Dimensions in mm	618x318x185
Weight	8 Kg
Power Supply	220-240 V 50-60 Hz
Insulating Class	II
Power	1050-1450 W
Air Speed (m/s)	135
Air Capacity (m3/h)	204
Bodywork	Antibacterial black ABS
Decibel	78 dB/A
Supplied with	Cable and Schuko plug
Price in Euro	663,50

HAIR DRYERS

FEATURES	320TC	320TR	329TR
Dimensions in mm	265x92x105	265x92x105	280x205x120
Hose lenght in Cm	45 ÷ 150	45 ÷ 150	45 ÷ 150
Weight	1,2 Kg	1,2 Kg	1,6 Kg
Power Supply	230 V ~ 50 Hz	230 V ~ 50 Hz	230 V ~ 50 Hz
Total Power	700 W	700 W	900 W
Air speed	10 m/s	20 m/s	20 m/s
Air Flow	50 m3/h	50 m3/h	50 m3/h
Motor Life	900 h	900 h	900 h
Bodywork	ABS	ABS	ABS
Insulating Class	II	II	II
Master Box / Pallet q.	6/150	6/150	6/120
Water protection	IPX4	IPX4	IPX4
Cable	Cable and plug	Cable and plug	Cable and plug
Made in	ITALY	ITALY	ITALY
Price in Euro	80,00	80,00	90,00



MOEL

HAIR DRYERS

FEATURES	379	744	720	7200
Dimensions in mm	225x103x110	150x210x90	180x90x170	255x280x109
Weight	0,5 Kg	0,7 Kg	0,8 Kg	0,75 Kg
Power Supply	230V ~ 50Hz	230V ~ 50Hz	230V ~ 50Hz	230-240V ~ 50/60Hz
Total Power	1200 W	540-1200 W	1200 W	720-1600 W
Air speed	12 m/s	10 m/s	6 m/s	24 m/s
Air Flow	60 m3/h	54 m3/h	30 m3/h	75 m3/h
Motor Life	200h	400h	900h	600h
Bodywork	ABS	ABS	ABS	ABS
Insulating Class	II	II	II	II
Master Box / Pallet q.	6/360	6/180	6/150	6/150
Cable	Cable and plug	Cable and plug	Cable and plug	Cable and plug
Coming with	Wall bracket	Wall bracket	Wall bracket + Shaver socket	Wall bracket
Made in	P.R.C.	P.R.C.	P.R.C.	P.R.C.
Price in Euro	24,50	43,50	49,00	49,00






SPARE PARTS	DESCRIPTION	PRICE IN EURO
000513	Handle for models 320TR and 329TR	3,50
002676	Spare tube for models 329TR, 320TR, 320TC and 359	15,00
002442	Support ring for models 329TR and 359W	1,50
002497	Handle for 320TC	6,50

AIR COOLER

FEATURES	8100
Dimensions in cm	43X35X118
Weight	14,4 Kg
Power Supply	230 V ~ 50 Hz
Total Power	180 W
Chilled Air	80 m2
Air Flow	4000 m3/h
Water tank	30 lt
Insulating Class	II
Master Box / Pallet q.	1/10
Coming with	Cable and plug + Remote control, wheels and Ionizer
Made in	P.R.C.
Price in Euro	320,00



FEATURES	9100
Dimensions in cm	84,8x55,5x125,4
Weight	20,80 Kg
Power Supply	230 V ~ 50 Hz
Total Power	250 W
Chilled Air	120 m2
Air Flow	6000 m3/h
Water tank	80 lt
Insulating Class	II
Master Box / Pallet q.	1
Coming with	Cable and plug, wheels
Made in	P.R.C.
Price in Euro	470,80

